



Renz – the top address for your mail

Mail box units

New guideline for letterboxes!

The new standard **EN 13724** stipulates the requirements and test methods relating to openings for the delivery of mail. It specifies for example resistance to corrosion and water ingress as well as requirements regarding security, dimensions and confidentiality.

All RENZ products are tested to meet this standard. It is our mission to offer our clients the best possible solution at all times. RENZ – the European market leader of letter plates and boxes you can trust.



Quality is more than a promise

"Keen mail distributors", wind and weather, vandals: mail box units have to stand up to quite a few things. RENZ products are admirably prepared to do just that: selected materials, ingenious designs and extremely sound finishing ensure that you will be pleased with your newly arranged entrance well into the future.

Perforated intercom panel
RSA protected against vandalism.

The **centring pin** positions the door to ensure a perfect fit.

RS50 plate is fitted on larger mail boxes to ensure the mail does not jam in the top of the box.

Cylinder lock is fitted with stainless steel dust cover.
Lock underneath the plate – for better protection against vandalism.

Mail retaining bracket is fitted to retain the mail in the box once the door is opened.

No spot welds at all: crimped and riveted casing. Allows the use of highly corrosion-proof materials. Thick-layer galvanising and powder coating of the parts with average 80 μ thickness for sheet steel casing profiles.



Bell/light button **RSA** protection against vandalism.
Name plate **RSA** back lit.

Gutter is fitted to ensure the mail stays dry inside the box.

Newspaper plate **RS50** accepts large mail deliveries and is fitted with a rubber lip to reduce the noise level.

Optional second name plate.

Doors, hinges and locks are all easily replaced in the unfortunate event of vandalism.

Extra sturdy structure of 1.25 mm steel or 1.2 mm of stainless steel V4A.

10 year guarantee against rusting.

Please note that some items on this page are only available on selected mail boxes.



Box: 260 x 330 x 100 mm
Letter plate 230 x 33 mm



Box: 370 x 330 x 100 mm
Letter plate 335 x 33 mm
EN 13724



Box: 370 x 330 x 145 mm
Letter plate 335 x 50 mm
EN 13724
optional extra: **RS50**



Box: 300 x 440 x 145 mm
Letter plate 265 x 50 mm
EN 13724
optional extra: **RS50**



Box: 370 x 440 x 145 mm
Letter plate 335 x 50 mm
EN 13724
optional extra: **RS50**

Model Group 10 Vertical mail boxes.

EN 13724

You have the choice from the small box for residential applications up to the extra deep business mail box which can be fitted with various finishing profiles. Numerous benefits come with using RENZ vertical mail box units. A full range of colours and designs are available.




Fig. 3/1 Box format 260 x 330 x 100 and 370 x 330 x 145 mm with **RS50** and **RSA**, bell and intercom box of special design, inscription box, 40 x 48 mm aluminium profile plaster frame. Letter Plates 230 x 33 mm or 335 x 50 mm.



Fig. 3/2 Box format 370 x 330 x 145 mm, with **RS50** and **RSA**, RS3000 aluminium radius-profile plaster frame. Letter plates 335 x 50 mm.



Fig. 3/3 Box format 370 x 330 x 145 mm, with **RS50** and **RSA**, 2nd name plate, inscription box, V4A stainless steel PRISMA casing and frame. Letter plates 335 x 50 mm.



Fig. 3/4 Box format 370 x 330 x 145 mm, with **RS50** and **RSA**, inscription box, V4A stainless steel angular plaster frame. Letter plates 335 x 50 mm.



Box: 260 x 110 x 385 mm
Letter plate 230 x 33 mm
EN 13724



Box: 260 x 220 x 385 mm
Letter plate 230 x 33 mm
EN 13724



Box: 260 x 330 x 385 mm
Letter plate 230 x 33 mm
EN 13724



Box: 300 x 110 x 385 mm
Letter plate 265 x 33 mm
EN 13724



Box: 300 x 220 x 385 mm
Letter plate 265 x 33 mm
EN 13724



Box: 300 x 330 x 385 mm
Letter plate 265 x 33 mm
EN 13724



Box: 370 x 110 x 270 mm
Letter plate 335 x 33 mm
EN 13724



Box: 370 x 220 x 270 mm
Letter plate 335 x 33 mm
EN 13724



Box: 370 x 330 x 270 mm
Letter plate 335 x 33 mm
EN 13724

Model Group 13

Horizontal mail boxes.

EN 13724

Select and combine any of the nine different basic formats and extra large boxes of the business series with angular or radius casing profiles. Sufficient space for the mail to lie in the bottom of the box. Because of the flat horizontal box design a large number of boxes can be fitted in a relatively small area.



Fig. 4/1 Box format 370 x 110 x 270 mm, with **RSA** and 2nd name plate, inscription box and QUADRA casing. Letter plates 335 x 33 mm.



Fig. 4/2 Box format 300 x 220 x 385 mm, with **RSA**, V4A stainless steel angular plaster frame. Letter plates 265 x 33 mm.



Fig. 4/3 Box format 370 x 220 x 270 mm, TETRO casing and frame fitted with lighting. Letter plates 335 x 33 mm.



Fig. 4/4 Box format 300 x 110 x 385 mm, with **RSA**, inscription box and RS4000 radius aluminium casing. Letter plates 265 x 33 mm.



EN 13724

Model Group 11/12

Slide-through units for entrance side panels.

Units can be supplied for fixing to the existing glazing section or complete with their own glazing section. Steel or stainless steel front plates.



Fig. 5/1 Box format 300 x 110 x 385 mm, 24 mm front plate, with thermal break for mounting in door profile, with **RSA**, completely manufactured from V4A stainless steel. Letter plates 265 x 33 mm.



Fig. 5/2 Box format 370 x 330 x 145 mm, with **RS50**, 24 mm steel front plate, with thermal break for mounting in door profile, with **RSA**. Letter plates 335 x 50 mm.

EN 13724

Model Group 14

Slide-through units for installation in the wall.

Angled mail box units with adjustable depth for single or multi occupancy use.

Front plates can be hinged or fixed.



Fig. 5/3 Box format 300 x 110 x 265 - 410 mm, hinged steel front plate with RS1001 radius-profile closing frame with optional engraving. Letter plates 265 x 33 mm.



Fig. 5/4 Box format 300 x 110 x 265 - 410 mm, hinged V4A stainless steel front plate, with **RSA**. Letter plates 265 x 33 mm.



Fig. 5/5 Box format 300 x 110 x 265 - 410 mm, hinged steel front plate, with **RSA** and RS1001 aluminium radius-profile closing frame. Letter plates 265 x 33 mm.



Model Group 15 Commercial line.

The new commercial line mail box units. An individual modern design with up-to-date technology.



Erwin Renz Metallwarenfabrik GmbH & Co KG · Postfach 14 · D-71736 Kirchberg/Murr
Phone +49/71 44/301-0 · Fax +49/71 44/301-200 · E-Mail: info@renz-net.de

www.renz-mailboxes.co.uk